## **CE**

## Besblock Limited. Halesfield 21, Telford, Shropshire. TF7 4 NF

## **BSEN 771-3**

Insulite (100mm Cellular)

## Category II, Aggregate concrete masonry unit

Dimensions:

440X100X215

Dimensional tolerances:		
Category:	D1	
Configuration:	Group1 (< 25% void)	
Mean compressive strength:	3.6-7.3 N/mm <sup>2</sup>	
Dimensional stability: moisture movement:	<0.6mm/m	
Shear bond strength:	0.15 N/mm <sup>2</sup>	(tabulated value)
Flexural bond strength:	NPD	
Reaction to fire:	Euroclass A1	
Water absorption:	NPD	
Water vapour diffusion coefficient:	5/15	(tabulated value)
Direct airborne sound insulation:		
Gross dry density	1185 kg/m <sup>2</sup>	
<u>Configuration</u>	Group1 (Cellular < 25% void)	
Thermal conductivity:	$\lambda$ = 0.386 W/(mK) <sub>10, dry mat</sub>	
Durability against freeze-thaw:	Not to be used exposed if < 7.3N/m	nm2
Dangerous substances:	NPD	